


PRODUCT CATALOG 2021



FIRE
PROTECT
YOUR HOME!

Proudly manufactured by:
www.vulcanvents.com | www.newcalmetals.com



NEW CAL
— METALS INC. —

In the Line of WildFIRE

As civilization develops farther in into natural lands, the risk of exposure to wildfire increases. These areas are called the **Wildland-Urban Interface (WUI)** and are defined as areas where homes are built near or among lands prone to wildland fire.

Fires are on the rise!



More than 10 million acres of the U.S. were burned during the 2017 wildfire season with a cost of \$2 billion, making it the most costly season ever, according to a study by the *Proceedings of the National Academy of Sciences*.

Homes at risk!

According to the USDA & USGS, 9.5 percent, or 190 million acres, of the continental United States fell into the WUI in 2010, and that the number of houses within the WUI increased from 31 million to more than 43 million between 1990 and 2010. Today, that number is closer to 50 million homes. Home fire defense in wildland areas is critical.

Ember Attack

There are many factors that contribute to the spreading of wildland fires into our communities; **wind blown embers** are amongst the deadliest! Embers can travel long distances and either land on, or get sucked into your home's ventilation, causing it to burn from the inside out. **Protecting your home** from these embers can literally, save your home and the spread of fire to surrounding homes.



Ember Defense

It's estimated that 90% of the homes destroyed during wildfires are due to wind blown embers.

Embers shower into attic vents and eave spaces of neighboring houses, igniting them from the inside out! This can happen long before flames even come close!



Ember storm during the Camp Fire, Paradise Calif. (Justin Sullivan / Getty Images)


The **Vulcan Vent** is a FIRST LINE OF DEFENSE against ember attack, heat and exterior flame. **Vulcan Vents** will keep dangerous embers from entering the ventilation areas of your home even when the fire is still far away.

How it works

Vulcan Vents are **self closing** when exposed to extreme heat and flames, **preventing fire**, as well as **ember intrusion**. The secret is in our patented design: our unique expanded hexagon core, coated with an intumescent coating from **Firefree Coatings Inc.**


Superior air flow!

Our hex core allows for a high ratio of **Net Free Vent Area (NFVA)**. The honeycomb core is made of 2 mil aluminum. It's lightweight, strong and works with many vent styles.




Stops Fires COLD!

Vulcan Vents are different. We use a smaller mesh size and have an **ACTIVE** measure against flames. Once exposed to heat, the specialized coating will expand rapidly, **self closing** the vent completely and begin actively **protecting your home** from the dangers of flames and **EMBER INTRUSION**.



Protection you can TRUST!


- 🔥 Building code (CBC), Chapter 7A rated!
- 🔥 ASTM E119 hour fire rated assembly!
- 🔥 WUI Approved!
- 🔥 ASTM E2886 / E2886M tested & Listed!
(extreme heat and ember intrusion testing)
- 🔥 ICC Listed! ICC-ES: 1300



VULCAN VENT®

SOFFIT VENTS

FOR STAINLESS STEEL AND COPPER BUILDS PLEASE CALL

VFS/VE Standard Soffit Vents									
MFG. PART#	DESCRIPTION	NFVA	WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	CUT OUT (in)	CUT OUT (cm)	SAMPLE IMAGE	
VFS414S	4" x 14" STUCCO FLANGE SET BACK 3/4"	24	0.25	10	2.5	3.5 x 13.5	8.89 x 34.29		
VFS614S	6" x 14" STUCCO FLANGE SET BACK 3/4"	41	1	10	10	5.5 x 13.5	13.97 x 34.29		
VFS814S	8" x 14" STUCCO FLANGE SET BACK 3/4"	62	1.2	10	12	7.5 x 13.5	19.05 x 34.29		
VFS414FF	4" x 14" FLANGE FRONT	24	0.25	10	2.5	3.5 x 13.5	8.89 x 34.29		
VFS614FF	6" x 14" FLANGE FRONT	41	1	10	10	5.5 x 13.5	13.97 x 34.29		
VFS814FF	8" x 14" FLANGE FRONT	62	1.2	10	12	7.5 x 13.5	19.05 x 34.29		
VFS414FB	4" x 14" FOAM BACK FLANGE SET BACK 1-1/2"	24	0.4	10	4	3.5 x 13.5	8.89 x 34.29		
VFS614FB	6" x 14" FOAM BACK FLANGE SET BACK 1-1/2"	41	1.15	10	11.5	5.5 x 13.5	13.97 x 34.29		
VFS814FB	8" x 14" FOAM BACK FLANGE SET BACK 1-1/2"	62	1.35	10	13.5	7.5 x 13.5	19.05 x 34.29		
VFS414FC	4" x 14" FIBER CEMENT FLANGE SET BACK 3/8"	24	0.25	10	2.5	3.5 x 13.5	8.89 x 34.29		
VFS614FC	6" x 14" FIBER CEMENT FLANGE SET BACK 3/8"	41	1	10	10	5.5 x 13.5	13.97 x 34.29		
VFS814FC	8" x 14" FIBER CEMENT FLANGE SET BACK 3/8"	62	1.2	10	12	7.5 x 13.5	19.05 x 34.29		
VE3522S	3.5" x 22" STUCCO FLANGE SET BACK 3/4"	41	0.71	10	7.1	3.5 x 22	8.89 x 55.88		
VE5522S	5.5" x 22" STUCCO FLANGE SET BACK 3/4"	75	0.95	10	9.5	5.5 x 22	13.79 x 55.88		
VE7522S	7.5" x 22" STUCCO FLANGE SET BACK 3/4"	119	1.2	10	12	7.5 x 22	19.05 x 55.88		
VE3522FF	3.5" x 22" FLANGE FRONT	41	0.71	10	7.1	3.5 x 22	8.89 x 55.88		
VE5522FF	5.5" x 22" FLANGE FRONT	75	0.95	10	9.5	5.5 x 22	13.79 x 55.88		
VE7522FF	7.5" x 22" FLANGE FRONT	119	1.2	10	12	7.5 x 22	19.05 x 55.88		
VE3522FB	3.5" x 22" FOAM BACK FLANGE SET BACK 1-1/2"	41	0.86	10	8.6	3.5 x 22	8.89 x 55.88		
VE5522FB	5.5" x 22" FOAM BACK FLANGE SET BACK 1-1/2"	75	1.1	10	11	5.5 x 22	13.79 x 55.88		
VE7522FB	7.5" x 22" FOAM BACK FLANGE SET BACK 1-1/2"	119	1.35	10	13.5	7.5 x 22	19.05 x 55.88		
VE3522FC	3.5" x 22" FIBER CEMENT FLANGE SET BACK 3/8"	41	0.71	10	7.1	3.5 x 22	8.89 x 55.88		
VE5522FC	5.5" x 22" FIBER CEMENT FLANGE SET BACK 3/8"	75	0.95	10	9.5	5.5 x 22	13.79 x 55.88		
VE7522FC	7.5" x 22" FIBER CEMENT FLANGE SET BACK 3/8"	119	1.2	10	12	7.5 x 22	19.05 x 55.88		

SOFFIT VENTS CONT.

FOR STAINLESS STEEL AND COPPER BUILDS PLEASE CALL

VSC Continuous Soffit Vents									
MFG. PART#	DESCRIPTION	NFVA	WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	CUT OUT (in)	CUT OUT (cm)	SAMPLE IMAGE	
VSC2120	2" x 120" NAILING FLANGE ON BOTH SIDES	96	4	10	40	N/A	N/A		
VSC25120	2.5" x 120" NAILING FLANGE ON BOTH SIDES	120	4.5	N/A	N/A	N/A	N/A		
VSC3120	3" x 120" NAILING FLANGE ON BOTH SIDES	144	5.03	N/A	N/A	N/A	N/A		
VSC35120	3.5" x 120" NAILING FLANGE ON BOTH SIDES	168	5.54	N/A	N/A	N/A	N/A		
VSC4120	4" x 120" NAILING FLANGE ON BOTH SIDES	192	6.06	N/A	N/A	N/A	N/A		
VSC5120	5" x 120" NAILING FLANGE ON BOTH SIDES	240	7.09	N/A	N/A	N/A	N/A		
VSC6120	6" x 120" NAILING FLANGE ON BOTH SIDES	288	8.12	N/A	N/A	N/A	N/A		
VSC2120FF	2" x 120" FLANGE FRONT	96	5.94	10	59.4	2" x length	5.08cm x length		
VSC25120FF	2.5" x 120" FLANGE FRONT	120	6.46	N/A	N/A	2.5" x length	6.35cm x length		
VSC3120FF	3" x 120" FLANGE FRONT	144	6.97	N/A	N/A	3" x length	7.62cm x length		
VSC35120FF	3.5" x 120" FLANGE FRONT	168	7.5	N/A	N/A	3.5" x length	8.89cm x length		
VSC4120FF	4" x 120" FLANGE FRONT	192	8	N/A	N/A	4" x length	10.16cm x length		
VSC5120FF	5" x 120" FLANGE FRONT	240	9.03	N/A	N/A	5" x length	12.7cm x length		
VSC6120FF	6" x 120" FLANGE FRONT	288	10.06	N/A	N/A	6" x length	15.24cm x length		
VSC2120R	2" x 120" NO FLANGE CONTINUOUS RETRO-FIT	96	2.81	10	28.1	N/A	N/A		
VSC25120R	2.5" x 120" NO FLANGE CONTINUOUS RETRO-FIT	120	3.33	N/A	N/A	N/A	N/A		
VSC3120R	3" x 120" NO FLANGE CONTINUOUS RETRO-FIT	144	3.84	N/A	N/A	N/A	N/A		
VSC4120R	4" x 120" NO FLANGE CONTINUOUS RETRO-FIT	192	4.87	N/A	N/A	N/A	N/A		
VSC5120R	5" x 120" NO FLANGE CONTINUOUS RETRO-FIT	240	5.9	N/A	N/A	N/A	N/A		
VSC6120R	6" x 120" NO FLANGE CONTINUOUS RETRO-FIT	288	6.93	N/A	N/A	N/A	N/A		
VSC2120SL	2" x 120" SINGLE NAILING FLANGE	96	3.25	10	32.5	N/A	N/A		
VSC25120SL	2.5" x 120" SINGLE NAILING FLANGE	120	3.75	N/A	N/A	N/A	N/A		
VSC3120SL	3" x 120" SINGLE NAILING FLANGE	144	4.28	N/A	N/A	N/A	N/A		
VSC35120SL	3.5" x 120" SINGLE NAILING FLANGE	168	4.79	N/A	N/A	N/A	N/A		
VSC4120SL	4" x 120" SINGLE NAILING FLANGE	192	5.31	N/A	N/A	N/A	N/A		
VSC5120SL	5" x 120" SINGLE NAILING FLANGE	240	6.34	N/A	N/A	N/A	N/A		
VSC6120SL	6" x 120" SINGLE NAILING FLANGE	288	7.37	N/A	N/A	N/A	N/A		
VSC2120SMC34	2" x 120" STUCCO 3/4"	96	5.08	N/A	N/A	N/A	N/A		
VSC25120SMC34	2.5" x 120" STUCCO 3/4"	120	5.58	N/A	N/A	N/A	N/A		
VSC3120SMC34	3" x 120" STUCCO 3/4"	144	6.11	N/A	N/A	N/A	N/A		
VSC35120SMC34	3.5" x 120" STUCCO 3/4"	168	6.62	N/A	N/A	N/A	N/A		
VSC4120SMC34	4" x 120" STUCCO 3/4"	192	7.14	N/A	N/A	N/A	N/A		
VSC5120SMC34	5" x 120" STUCCO 3/4"	240	8.17	N/A	N/A	N/A	N/A		
VSC6120SMC34	6" x 120" STUCCO 3/4"	288	9.2	N/A	N/A	N/A	N/A		
VSC2120SMC78	2" x 120" STUCCO 7/8"	96	5.21	N/A	N/A	N/A	N/A		
VSC25120SMC78	2.5" x 120" STUCCO 7/8"	120	5.71	N/A	N/A	N/A	N/A		
VSC3120SMC78	3" x 120" STUCCO 7/8"	144	6.24	N/A	N/A	N/A	N/A		
VSC35120SMC78	3.5" x 120" STUCCO 7/8"	168	6.75	N/A	N/A	N/A	N/A		
VSC4120SMC78	4" x 120" STUCCO 7/8"	192	7.27	N/A	N/A	N/A	N/A		
VSC5120SMC78	5" x 120" STUCCO 7/8"	240	8.3	N/A	N/A	N/A	N/A		
VSC6120SMC78	6" x 120" STUCCO 7/8"	288	9.33	N/A	N/A	N/A	N/A		

EAVE VENTS


FOR STAINLESS STEEL AND COPPER BUILDS PLEASE CALL


VER Round Eave Vents									
MFG. PART#	DESCRIPTION	NFVA		WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	CUT OUT (in)	CUT OUT (cm)	SAMPLE IMAGE
VER2	2" ROUND LOUVERED FACE EAVE VENT	1		0.13	25	3.25	2 Round Hole	5.08 Round Hole	
VER3	3" ROUND LOUVERED FACE EAVE VENT	2		0.19	25	4.75	3 Round Hole	7.62 Round Hole	
VER4	4" ROUND LOUVERED FACE EAVE VENT	4		0.25	25	6.25	4 Round Hole	10.16 Round Hole	
VER2M	2" ROUND MESH FACE EAVE VENT	2		0.13	25	3.25	2 Round Hole	5.08 Round Hole	
VER3M	3" ROUND MESH FACE EAVE VENT	4		0.19	25	4.75	3 Round Hole	7.62 Round Hole	
VER4M	4" ROUND MESH FACE EAVE VENT	8		0.25	25	6.25	4 Round Hole	10.16 Round Hole	
VER6M	6" ROUND MESH FACE EAVE VENT	17		0.38	25	9.5	6 Round Hole	15.24 Round Hole	

VE Standard Eave Vents									
MFG. PART#	DESCRIPTION	NFVA		WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	CUT OUT (in)	CUT OUT (cm)	SAMPLE IMAGE
VE3514	3.5" x 14" EAVE VENT	24		0.47	10	4.7	2 x 4 Rafters - 16" OC	2 x 4 Rafters - 16" OC	
VE5514	5.5" x 14" EAVE VENT	44		0.63	10	6.3	2 x 6 Rafters - 16" OC	2 x 6 Rafters - 16" OC	
VE7514	7.5" x 14" EAVE VENT	75		0.79	10	7.9	2 x 8 Rafters - 16" OC	2 x 8 Rafters - 16" OC	
VE3522	3.5" x 22" EAVE VENT	41		0.71	10	7.1	2 x 4 Rafters - 24" OC	2 x 4 Rafters - 24" OC	
VE5522	5.5" x 22" EAVE VENT	75		0.95	10	9.5	2 x 6 Rafters - 24" OC	2 x 6 Rafters - 24" OC	
VE7522	7.5" x 22" EAVE VENT	119		1.2	10	12	2 x 8 Rafters - 24" OC	2 x 8 Rafters - 24" OC	
VE3514RT	3.5" x 14" REVERSE TAB EAVE VENT	24		0.47	10	4.7	2 x 4 Rafters - 16" OC	2 x 4 Rafters - 16" OC	
VE5514RT	5.5" x 14" REVERSE TAB EAVE VENT	44		0.63	10	6.3	2 x 6 Rafters - 16" OC	2 x 6 Rafters - 16" OC	
VE7514RT	7.5" x 14" REVERSE TAB EAVE VENT	75		0.79	10	7.9	2 x 8 Rafters - 16" OC	2 x 8 Rafters - 16" OC	
VE3522RT	3.5" x 22" REVERSE TAB EAVE VENT	41		0.71	10	7.1	2 x 4 Rafters - 24" OC	2 x 4 Rafters - 24" OC	
VE5522RT	5.5" x 22" REVERSE TAB EAVE VENT	75		0.95	10	9.5	2 x 6 Rafters - 24" OC	2 x 6 Rafters - 24" OC	
VE7522RT	7.5" x 22" REVERSE TAB EAVE VENT	119		1.2	10	12	2 x 8 Rafters - 24" OC	2 x 8 Rafters - 24" OC	

GABLE VENTS



FOR STAINLESS STEEL AND COPPER BUILDS PLEASE CALL


VG Standard Gable Vents									
MFG. PART#	DESCRIPTION	NFVA		WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	CUT OUT (in)	CUT OUT (cm)	SAMPLE IMAGE
VG148S	14" x 8" STUCCO FLANGE SET BACK 3/4"	29		2	5	10	14 x 7.5	35.56 x 19.75	
VG1412S	14" x 12" STUCCO FLANGE SET BACK 3/4"	58		3	5	10	14 x 12	35.56 x 30.48	
VG1418S	14" x 18" STUCCO FLANGE SET BACK 3/4"	86		4	5	20	14 x 17.5	35.56 x 44.45	
VG1424S	14" x 24" STUCCO FLANGE SET BACK 3/4"	115		5	5	25	14 x 23.5	35.56 x 58.42	
VG148FF	14" x 8" FLANGE FRONT	29		2	5	10	14 x 7.5	35.56 x 19.75	
VG1412FF	14" x 12" FLANGE FRONT	58		3	5	15	14 x 12	35.56 x 30.48	
VG1418FF	14" x 18" FLANGE FRONT	86		4	5	20	14 x 17.5	35.56 x 44.45	
VG1424FF	14" x 24" FLANGE FRONT	115		5	5	25	14 x 23.5	35.56 x 58.42	
VG148FB	14" x 8" FOAM BACK FLANGE RECESSED 1-1/2"	29		2	5	10	14 x 7.5	35.56 x 19.75	
VG1412FB	14" x 12" FOAM FLANGE RECESSED 1-1/2"	58		3	5	15	14 x 12	35.56 x 30.48	
VG1418FB	14" x 18" FOAM BACK FLANGE RECESSED 1-1/2"	86		4	5	20	14 x 17.5	35.56 x 44.45	
VG1424FB	14" x 24" FOAM BACK FLANGE RECESSED 1-1/2"	115		5	5	25	14 x 23.5	35.56 x 58.42	
VG148FC	14" x 8" FIBER CEMENT FLANGE RECESSED 3/8"	29		2	5	10	14 x 7.5	35.56 x 19.75	
VG1412FC	14" x 12" FIBER CEMENT FLANGE RECESSED 3/8"	58		3	5	15	14 x 12	35.56 x 30.48	
VG1418FC	14" x 18" FIBER CEMENT FLANGE RECESSED 3/8"	86		4	5	20	14 x 17.5	35.56 x 44.45	
VG1424FC	14" x 24" FIBER CEMENT FLANGE RECESSED 3/8"	115		5	5	25	14 x 23.5	35.56 x 58.42	
VG148R	14" x 8" RETROFIT FLANGE RECESSED 2-5/8"	29		2	5	10	14 x 7.5	35.56 x 19.75	
VG1412R	14" x 12" RETROFIT FLANGE RECESSED 2-5/8"	58		3	5	15	14 x 12	35.56 x 30.48	
VG1418R	14" x 18" RETROFIT FLANGE RECESSED 2-5/8"	86		4	5	20	14 x 17.5	35.56 x 44.45	
VG1424R	14" x 24" RETROFIT FLANGE RECESSED 2-5/8"	115		5	5	25	14 x 23.5	35.56 x 58.42	
VG148FM	14" x 8" FLANGE MIDDLE RECESSED 1-5/16"	29		2	5	10	14 x 7.5	35.56 x 19.75	
VG1412FM	14" x 12" FLANGE MIDDLE RECESSED 1-5/16"	58		3	5	15	14 x 12	35.56 x 30.48	
VG1418FM	14" x 18" FLANGE MIDDLE RECESSED 1-5/16"	86		4	5	20	14 x 17.5	35.56 x 44.45	
VG1424FM	14" x 24" FLANGE MIDDLE RECESSED 1-5/16"	115		5	5	25	14 x 23.5	35.56 x 58.42	

VM Vulcan Matrix (Honeycomb / Mesh) **Common Use: Interior Gable Vent Retro Fit**									
MFG. PART#	DESCRIPTION	NFVA		WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	CUT OUT (in)	CUT OUT (cm)	SAMPLE IMAGE
VM1424	14" x 24" NFVA DEPENDANT ON OPENINGS	Dependant		0.75	10	7.5	N/A	N/A	
VM2424	24" x 24" NFVA DEPENDANT ON OPENINGS	Dependant		1.28	10	12.8	N/A	N/A	
VM4824	48" x 24" NFVA DEPENDANT ON OPENINGS	Dependant		2.56	10	25.6	N/A	N/A	

DORMER VENTS

FOR STAINLESS STEEL AND COPPER BUILDS PLEASE CALL

VDHR/VDLR Standard Dormer Vents										
MFG. PART#	DESCRIPTION	NFVA		WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	NFVA	CUT OUT (in)	CUT OUT (cm)	SAMPLE IMAGE
VDHR1224	12" x 24" HALF ROUND DORMER VENT	90		10	5	50	90	N/A	N/A	
VDHR918	9" x 18" HALF ROUND DORMER VENT	51		8	5	40	51	N/A	N/A	
VDHR1224R	12" x 24" RETROFIT HALF ROUND DORMER VENT W/ SOFT ZINC HOOD	90		5	5	25	90	N/A	N/A	
VDHR918R	9" x 18" RETROFIT HALF ROUND DORMER VENT W/ SOFT ZINC HOOD	51		4	5	20	51	N/A	N/A	
VDLR419	4" x 19" LOW PROFILE VENT "EYEBROW"	52		6	5	30	52	N/A	N/A	

VSB Sub Base Flashings For Universal Dormer Vents										
MFG. PART#	DESCRIPTION	NFVA		WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	NFVA	CUT OUT (in)	CUT OUT (cm)	SAMPLE IMAGE
VSB1212	12" x 12" WITH 3" FLANGES ON ALL 4 SIDES	105		1.5	10	15	105	13 x 13	33.02 x 33.02	
VSB8585	8.5" x 8.5" WITH 3" FLANGES ON ALL 4 SIDES	54		1.25	10	12.5	54	10 x 10	25.4 x 25.2	
VSB7519	7.5" x 19" WITH 3" FLANGES ON ALL 4 SIDES	108		1.5	10	15	108	8 x 20	20.32 x 50.8	

FOUNDATION VENTS

VFS Foundation Vents										
MFG. PART#	DESCRIPTION	NFVA		WT/EA (lbs)	QTY/BOX	WT/BOX (lbs)	CUT OUT (in)	CUT OUT (cm)		SAMPLE IMAGE
VFS414S	4" x 14" STUCCO FLANGE SET BACK 3/4"	24		0.25	10	2.5	3.5 x 13.5	8.89 x 34.29		
VFS614S	6" x 14" STUCCO FLANGE SET BACK 3/4"	41		1	10	10	5.5 x 13.5	13.97 x 34.29		
VFS814S	8" x 14" STUCCO FLANGE SET BACK 3/4"	62		1.2	10	12	7.5 x 13.5	19.05 x 34.29		
VFS414FF	4" x 14" FLANGE FRONT	24		0.25	10	2.5	3.5 x 13.5	8.89 x 34.29		
VFS614FF	6" x 14" FLANGE FRONT	41		1	10	10	5.5 x 13.5	13.97 x 34.29		
VFS814FF	8" x 14" FLANGE FRONT	62		1.2	10	12	7.5 x 13.5	19.05 x 34.29		
VFS414FB	4" x 14" FOAM BACK FLANGE RECESSED 1-1/2"	24		0.4	10	4	3.5 x 13.5	8.89 x 34.29		
VFS614FB	6" x 14" FOAM BACK FLANGE RECESSED 1-1/2"	41		1.15	10	11.5	5.5 x 13.5	13.97 x 34.29		
VFS814FB	8" x 14" FOAM BACK FLANGE RECESSED 1-1/2"	62		1.35	10	13.5	7.5 x 13.5	19.05 x 34.29		
VFS414FC	4" x 14" FIBER CEMENT FLANGE RECESSED 3/8"	24		0.25	10	2.5	3.5 x 13.5	8.89 x 34.29		
VFS614FC	6" x 14" FIBER CEMENT FLANGE RECESSED 3/8"	41		1	10	10	5.5 x 13.5	13.97 x 34.29		
VFS814FC	8" x 14" FIBER CEMENT FLANGE RECESSED 3/8"	62		1.2	10	12	7.5 x 13.5	19.05 x 34.29		

[illegible]



VULCAN VENT[®]
FIRE & EMBER SAFE VENTS



NEW CAL
— METALS INC. —

New Cal Metals, Inc. is a locally owned metal works company specializing in a wide range of metal building goods and parts: folded, fabricated, welded, machine and human crafted solutions for new construction.

Our advanced machinery allows us to create our wide product line, which includes the prolific Vulcan Vent. From clips to structural canopies, we've got your building materials covered. We offer solutions in stainless and galvanized steel, copper, aluminum, etc.

www.newcalmetals.com

info@newcalmetals.com

(916) 652-7424